

Spundungsdruck in Abhangigkeit von gewunschtem CO₂-Gehalt und Biertemperatur

	gewunschter CO ₂ -Gehalt in g/Liter						
	4.6	4.8	5.0	5.2	5.4	5.6	5.8
0	0.4	0.5	0.6	0.6	0.7	0.8	0.8
1	0.5	0.6	0.6	0.7	0.7	0.9	0.9
2	0.5	0.6	0.7	0.7	0.8	0.9	0.9
3	0.6	0.7	0.7	0.8	0.8	0.9	1.0
4	0.6	0.7	0.8	0.8	0.9	0.9	1.0
5	0.7	0.8	0.9	0.9	1.0	1.1	1.1
6	0.8	0.8	0.9	1.0	1.1	1.2	1.3
7	0.8	0.9	1.0	1.1	1.1	1.2	1.3
8	0.9	1.0	1.1	1.1	1.2	1.2	1.3
9	1.0	1.1	1.2	1.3	1.4	1.5	1.5
10	1.0	1.1	1.2	1.3	1.4	1.5	1.6
11	1.1	1.2	1.3	1.4	1.4	1.5	1.6
12	1.2	1.2	1.3	1.4	1.5	1.6	1.7
13	1.2	1.3	1.4	1.5	1.6	1.7	1.8
14	1.3	1.4	1.5	1.6	1.7	1.8	1.9
15	1.4	1.5	1.6	1.7	1.8	1.9	2.0
16	1.4	1.6	1.7	1.8	1.9	2.0	2.1
17	1.5	1.6	1.7	1.9	2.0	2.1	2.1
18	1.6	1.7	1.8	1.9	2.0	2.1	2.2
19	1.7	1.8	1.9	2.0	2.1	2.2	2.3
20	1.8	1.9	2.0	2.1	2.2	2.3	2.4
21	1.8	1.9	2.1	2.2	2.3	2.4	2.5
22	1.9	2.0	2.1	2.3	2.4	2.5	2.6
23	2.0	2.1	2.2	2.4	2.5	2.6	2.7
24	2.0	2.2	2.3	2.4	2.6	2.7	2.8

Biertemperatur in °C

spritziges Weizen

Märzen Bier